
Appendix 3
Basin Plan
Water Quality Objectives




Appendix 3

Summary of Region-Wide Basin Plan Surface Water Quality Objectives

Constituent	Ocean/Marine Waters ^{1,2}	Inland Surface Waters, Coastal Lagoons, and Enclosed Bays and Estuaries ²
Dissolved oxygen	Not to be depressed more than 10% below natural concentrations.	Not to be less than 5.0 mg/l in inland surface waters designated as Marine Habitat or Warm Freshwater Habitat, nor less than 6.0 mg/l in waters designated as Cold Freshwater Habitat. The annual mean dissolved oxygen concentration shall not be less than 7 mg/l more than 10 percent of the time.
рН	Not to be changed more than 0.2 pH units from that which occurs naturally	Not to exceed 9 pH units, nor to be less than 7.0 pH units in bays and estuaries. Not to exceed 8.5 pH units nor be less than 6.5 pH units in inland surface waters.
Engel	In areas designated as contact-recreation zones, not to exceed a log-mean of 200 per 100 ml during any 30-day period, nor shall a single sample exceed 400 per ml.	In areas designated as contact-recreation zones, not to exceed a log-mean of 200 per 100 ml during any 30-day period, nor shall more than 10 percent of the samples in any 30-day period exceed 400 per 100 ml.
Fecal Coliform	In areas designated as non-contact recreation zones, not to exceed a log-mean of 2000 per 100 ml during any 30-day period, and 10 percent of the samples in any 30-day period shall not exceed 4000 per 100 ml.	In areas designated as non-contact recreation zones, not to exceed a log- mean of 2000 organisms per 100 milliliters during any 30-day period, and 10 percent of the samples in any 30-day period shall not exceed 4000 organism per 100 milliliters more.
Total Coliform	For shellfish harvesting zones, not to exceed a median of 70 organisms per 100 milliliters in any 30-day period, nor exceed 230 organisms per 100 ml in more than 10 percent of the samples Within 1000 feet of the shoreline, in kelp beds, within the 30-foot depth contour, and in areas outside this zone used for water contact sports, the 30-day log-mean concentration shall not exceed 1000 per 100 ml, nor shall a single sample exceed 10,000 per ml.	For shellfish harvesting zones, not to exceed a median of 70 per 100 ml in any 30-day period, nor exceed 230 per 100 ml in more than 10 percent of the samples in any 30 day period if the 5-tube test method is used, nor 330 per 100 ml in more than 10 percent of the samples if the 3-tube test method is used. Nor more than 20 percent of the samples in any 30 day period may exceed 1000 per 100 ml, nor shall any sample (when verified by a repeat sample) exceed a concentration of 10,000 per 100 ml.
Ammonia	Ammonia nitrogen not to exceed a 6-month median of 0.6 mg/l, a daily maximum of 2.4 mg/l, and a instantaneous maximum of 6.0 mg/l.	Unionized ammonia not to exceed 0.025 mg/l
Phosphorus	None	Not to exceed 0.05 mg/l in any stream at the point it enters a standing body of water, nor 0.025 mg/l in a standing body of water, nor to exceed 0.1 mg/l in any flowing waters.
Nitrogen	None	Natural nitrogen to phosphorus ratios are to be upheld. If data are lacking, a nitrogen to phosphorus ratio of 10:1 is to be used.
Total Dissolved Solids and Mineral Constituents	None	Established on a watershed-by-watershed basis. See attached excerpted Basin Plan objectives tables for a watershed-by-watershed breakdown of the objectives.
Toxic Inorganic Compounds	Not to exceed concentration standards set forth in Table B of the Ocean Plan.	Not to exceed federal and state drinking water standards for waters designated for Municipal Supply. ³ Not to exceed California Toxic Rule standards in all waters. ⁴
Toxic Organic Compounds	Not to exceed concentration standards set forth in Table B of the Ocean Plan	Not to exceed federal and state drinking water standards for waters designated for Municipal Supply. ³ Not to exceed California Toxic Rule standards in all waters. ⁴

- 1 From Water Quality Control Plan for Ocean Waters of California (Ocean Plan). (State Board, 2005).
- 2 From Quality Control Plan for the San Diego Basin (Basin Plan). (Regional Board, 1994).
- Federal primary and secondary drinking water standards are promulgated by the U.S. Environmental Protection Agency (EPA) in Title 40, Section 141 through 143 of the *Code of Federal Regulations*. State of California primary and secondary drinking water standards are established by California Department of Health Services in Title 22, Section 64431-64444 and Section 64449 of the *California Water Code*. See attached tables within Appendix 2.
- Water quality concentration standards for California inland surface waters and enclosed bays and estuaries are promulgated by the U.S. Environmental Protection Agency in Title 40, Section 131.38 of the *Code of Federal Regulations*. See attached tables within Appendix 2.

[See Attached Excerpted Basin Plan Tables 3-2 and 3-3 for Watershed-Specific Water Quality Objectives]



APPENDIX 3

BASIN PLAN WATER QUALITY OBJECTIVES FOR SAN DIEGO REGION WATERSHEDS

Excerpted from Basin Plan (Regional Board, 1994)

Basin Plan Table 3-2 (Inland Surface Waters)

Basin Plan Table 3-3 (Groundwater)

Concentrations not to be exceeded more than 10% of the time during any one one year period.

							Constitiuent	tiuent		(mg/L or	or as noted)	ted)		
Inland Surface Waters	Hydrologic Unit Basin Number	TDS	ō	SO 4	%Na	N&P	Fe	Mn	MBAS	8	ODOR	Turb	Color Units	Щ
SAN JUAN HYDROLOGIC UNIT	901.00													
Laguna	1.10	1000	400	500	99	в	0.3	0.05	0.5	0.75	none	20	20	0.
Mission Viejo	1.20	200	250	250	8	a	0.3	0.05	0.5	0.75	none	20	20	0.1
San Clemente HA	1.30	200	250	250	09	В	0.3	0.05	0.5	0.75	none	20	20	1.0
San Mateo Canyon HA	1.40	200	250	250	09	B	0.3	0.05	0.5	0.75	none	20	20	1.0
San Onofre HA	1.50	200	250	250	09	а	0.3	0.05	0.5	0.75	none	20	20	1.0
SANTA MARGARITA HYDROLOGIC UNIT	902.00													
Ysidora HA	2.10	750	300	300	09	в	0.3	0.05	0.5	0.75	none	20	20	1.0
Deluz	2.20	200	250	250	09	в	0.3	0.05	0.5	0.75	none	20	20	1.0
Deluz Creek HSA b	2.21	750	250	250	09	а	0.3	0.05	0.5	0.75	none	70	20	1.0
Gavilan HSA b	2.22	09/	250	250	09	В	0.3	0.05	0.5	0.75	none	20	20	1.0
Murrieta HA	2.30	09/	300	300	09	В	0.3	0.05	0.5	0.75	none	20	20	0.1
Auld	2.40	200	250	250	09	В	0.3	0.05	0.5	0.75	none	20	70	1.0
Pechanga HA	2.50	200	250	250	09	ß	0.3	0.05	0.5	0.75	none	20	20	1.0
Wolf HSA b	2.52	09/	250	250	09	В	0.3	0.05	0.5	0.75	none	20	20	1.0
Wilson	2.60	200	250	250	09	а	0.3	0.05	0.5	0.75	none	20	20	1.0
Cave Rocks HA	2.70	750	300	300	09	а	0.3	0.05	0.5	0.75	none	20	20	1.0
Aguanga	2.80	09/	300	300	09	œ	0.3	0.05	0.5	0.75	none	20	20	1.0
Oakgrove HA	2.90	092	300	300	09	Ø	0.3	0.05	0.5	0.75	none	20	20	0.
HA - Hydrologic Area														

HA - Hydrologic Area
 HSA - Hydrologic Sub Area (Lower case letters indicate endnotes following the table.)

Concentrations not to be exceeded more than 10% of the time during any one one year period.

							Constitiuent	iuent		(mg/L	or as noted)	ted)		
Inland Surface Waters	Hydrologic Unit Basin Number	TDS	Ö	SO 4 %Na	%Na	N&P	Fe	M	MBAS	æ	ODOR	Turb	Color Units	и.
SAN LUIS REY HYDROLOGIC UNIT	903.00													
Lower San Luis HA	3.10	200	250	250	09	æ	0.3	0.05	0.5	0.75	none	20	20	0.
Monserat	3.20	200	250	250	9	а	0.3	0.05	0.5	0.75	none	20	20	1.0
Warner Valley HA	3.30	200	250	250	09	а	0.3	0.05	0.5	0.75	none	20	20	1.0
CARLSBAD HYDROLOGIC UNIT	904.00											1		
Loma Alta HA	4.10		•	ı	,	1	-	-	-		none	20	20	1.0
Buena Vista Creek HA	4.20	200	250	250	09	а	0.3	0.05	0.5	0.75	none	20	20	1.0
Agua Hedionda HA	4.30	200	250	250	09	в	0.3	0.05	0.5	0.75	none	20	20	1.0
Encinas	4.40	1	•			-	ı		1	•	none	20	20	1.0
San Marcos HA	4.50	200	250	250	09	а	0.3	0.05	0.5	0.75	none	20	20	1.0
Escondido Creek HA	4.60	200	250	250	09	а	0.3	0.05	0.5	0.75	none	20	20	1.0
SAN DIEGUITO HYDROLOGIC UNIT	905.00													
Solana Beach HA	5.10	200	250	250	09	в	0.3	0.05	0.5	0.75	none	20	20	1.0
Hodges	5.20	500	250	250	09	a	0.3	0.05	0.5	0.75	none	20	20	1.0
San Pasqual HA	5.30	200	250	250	09	а	0.3	0.05	0.5	0.75	none	20	20	1.0
Santa Maria Valley HA	5.40	200	250	250	9	æ	0.3	0.05	0.5	0.75	none	20	20	1.0
Santa Ysabel HA	5.50	500	250	250	09	æ	0.3	0.05	0.5	0.75	none	20	20	1.0
PENASQUITOS HYDROLOGIC UNIT	906.00	-												
Miramar Reservoir HA	6.10	500	250	250	09	B	0.3	0.05	0.5	0.75	none	20	20	1.0
Poway	6.20	500	250	250	09	а	0.3	0.05	0.5	0.75	none	20	20	1.0
HA - Hydrologia Area														

HA - Hydrologic Area HSA - Hydrologic Sub Area (Lower case letters indicate endnotes following the table.)

Concentrations not to be exceeded more than 10% of the time during any one one year period.

							Constitiuent	tiuent		(mg/L	(mg/L or as noted)	ted)		
Inland Surface Waters	Hydrologic Unit Basin Number	TDS	ū	SO ₄	%Na	N&P	F ₀	Mn	MBAS	æ	ODOR	Turb	Color Units	ш
Scripps HA	6.30	-				в				'	none	20	20	
Miramar	6.40	200	250	250	99	æ	0.3	0.05	0.5	0.75	none	20	20	0:
Tecolote HA	6.50	•			,	В	,	١,	-	,	none	20	20	1
SAN DIEGO HYDROLOGIC UNIT	907.00													
Lower San Diego HA	7.10	1000	400	200	90	g	0.3	0.05	0.5	1.0	none	20	20	
Mission San Diego HSA	7.11	1500	400	200	09	æ	1.0	1.00	0.5	1.0	none	20	20	
Santee HSA c	7.12	1000	400	500	09		1.0	1.00	0.5	1.0	none	20	20	
Santee HSA d	7.12	1500	400	200	09	В	0.	1.00	0.5	1.0	none	20	20	
San Vicente HA	7.20	300	20	65	09	В	0.3	0.05	0.5	1.0	none	20	20	0.1
El Capitan HA	7.30	300	20	99	09	В	0.3	0.05	0.5	1.0	none	20	20	0.
Boulder Creek	7.40	300	20	99	09	В	0.3	0.05	0.5	1.0	none	20	8	0.
PUEBLO SAN DIEGO HYDROLOGIC UNIT	908.00													
Point Loma HA	8.10	-	,	ı	-	'	'	-		,	none	20	20	,
San Diego Mesa HA	8.20	•	,	,	<u>'</u>	,	,			,	none	20	20	
National City HA	8.30	-	,		-	,			,		none	20	20	,
SWEETWATER HYDROLOGIC UNIT	909.00													
Lower Sweetwater HA	9.10	1500	500	200	09	В	0.3	0.05	0.5	0.75	none	20	20	,
Middle Sweetwater HA	9.20	200	250	250	09	a	0.3	0.05	0.5	0.75	none	20	20	0.
Upper Sweetwater HA	9.30	200	250	250	09	В	0.3	0.05	0.5	0.75	none	20	20	1.0
HA - Hydrologic Area														

HA - Hydrologic Area

HSA - Hydrologic Sub Area (Lower case letters indicate endnotes following the table.)

Concentrations not to be exceeded more than 10% of the time during any one one year period.

							Constitiuent	tiuent		(mg/L	(mg/L or as noted)	ted)		
nland Surface Waters	Hydrologic Unit Basin Number	TDS	Ö	SO 4	SO 4 %Na	N&P	Fe	Mn	MBAS	8	ODOR	Turb	Color Units	Щ
OTAY HYDROLOGIC UNIT	910.00													
Coronado	10.10	1	1		1	1	1	-	*	1	-	-	-	1
Otay Valley HA	10.20	1000	400	500	09	а	0.3	90.0	0.5	0.75	none	20	20	1.0
Dulzura	10.30	500	250	250	09	а	0.3	0.05	0.5	0.75	none	20	20	1.0
TIJUANA HYDROLOGIC UNIT	911.00													
Tijuana Valley HA	11.10	,	•	-	,	-	-	-	-	-	ŧ	ı		ı
San Ysidro HSA	11.11	2100		,	1	а		-	-	_	none	20	20	
Potrero HA	11.20	500	250	250	09	а	0.3	0.05	0.5	1.0	none	20	20	1.0
Barrett Lake HA	11.30	200	250	250	09	a	0.3	0.05	0.5	1.0	none	20	20	1.0
Monument	11.40	200	250	250	09	а	0.3	0.05	0.5	1.0	none	20	20	1.0
Morena	11.50	200	250	250	09	а	0.3	90.0	0.5	1.0	none	20	20	1.0
Cottonwood	11.60	200	250	250	09	а	0.3	0.05	0.5	1.0	none	20	20	1.0
Cameron HA	11.70	500	250	250	09	а	0.3	90.0	0.5	1.0	none	20	20	1.0
Campo	11.80	500	250	250	9	æ	0.3	0.05	0.5	1.0	none	20	20	1.0

HA - Hydrologic Area HSA - Hydrologic Sub Area (Lower case letters indicate endnotes following the table.)

ENDNOTES FOR TABLE 3-2

Œ

- n order to prevent plant nuisances in streams and other flowing waters appears to be 0.1 mg/l total P. These values are not to be exceeded more than 10% of the time unless studies of the specific body in question clearly show that water quality objective changes are permissible and changes are approved by the Regional Board. Analogous threshold values have not been set for nitrogen compounds; however, natural ratios of nitrogen to phosphorus are to be determined by surveillance and monitoring and upheld. If data are lacking, a ratio of N:P = 10:1 shall be used. Note - Certain exceptions to the above water quality objectives are described in Concentrations of nitrogen and phosphorus, by themselves or in combination with other nutrients, shall be maintained at levels below hose which stimulate algae and emergent plant growth. Threshold total Phosphorus (P) concentrations shall not exceed 0.05 mg/l n any stream at the point where it enters any standing body of water, nor 0.025 mg/l in any standing body of water. A desired goal Chapter 4 in the sections titled Discharges to Coastal Lagoons from Pilot Water Reclamation Projects and Dicharges to Surface Waters.
- at the confluence of Murrieta and Temecula Creeks, through the Gavilan HSA (2.22) and DeLuz HSA (2.21), to where it enters the These objectives apply to the lower portion of Murrieta Creek in the Wolf HSA (2.52) and the Santa Margarita River from it's beginning Jpper Ysidora HSA (2.13).

Ω

Ç

o

- canyons: Oak Creek, Spring Canyon, Little Sycamore Canyon, Quail Canyon, and Sycamore Canyon. The Sycamore Canyon subarea extends eastward from the Mission San Diego HSA to the confluence of the San Diego River and Forester Creek, immediately south Sycamore Canyon Subarea, a portion of the Santee Hydrologic Subarea, includes the watersheds of the following north-south trending of the Santee Lakes.
- These objectives apply to the Lower Sycamore Canyon portion of the Santee Hydrologic Subarea described as all of the Sycamore Canyon watershed except that part which drains north of the boundary between sections 28 and 33, Township South, Range 1 West.

Concentrations not to be exceeded more than 10% of the time during any one year period.

							Constituent	ent (mg/L	or as n	as noted)				
Ground Water	Hydrologic Basin Unit Number	TDS	Ö	S04	%Na	NO3	Fe	Mn	MBAS	В	ODOR	Tur b NTU	Color Units	т
SAN JUAN HYDROLOGIC UNIT	901.00													
Laguna HA	1.10		-		-									
San Joaquin Hills HSA	1,11	1200	400	200	09	10	6.0	90'0	0.5	0.75	none	2	15	1.0
Laguna Beach HSA	1.12	1200	400	200	09	45	6.0	0.05	0.5	0.75	none	2	15	1.0
Aliso HSA	1.13	1200	400	200	09	45	0.3	0.05	0.5	0.75	none	വ	15	1.0
Dana Point HSA	1.14	1200	400	200	9	45	0.3	0.05	0.5	0.75	none	വ	15	1.0
Mission Viejo HA	1.20				. :									
Oso HSA	1.21	1200	400	200	09	45	0.3	0.05	0.5	0.75	none	വ	15	1.0
Upper Trabuco HSA	1.22	200	250	250	09	45	6.0	0.05	0.5	0.75	none	9	15	1.0
Middle Trabuco HSA	1.23	750	375	375	09	45	0.3	0.05	0.5	0.75	none	ည	15	1.0
Gobernadora HSA	1.24	1200	400	200	90	45	6.0	0.05	0.5	0.75	none	2	15	1.0
Upper San Juan HSA	1.25	200	250	250	09	45	6.0	0.05	0.5	9.75	none	9	15	1.0
Middle San Juan HSA	1.26	750	375	375	60	45	0.3	0.05	0.5	0.75	none	5	15	1.0
Lower San Juan HSA	1.27	1200	400	200	60	45	0.3	90'0	0.5	92.0	none	9	15	1.0
Ortega HSA	1.28	1100	375	450	60	45	0.3	0.05	0.5	0.75	none	5	15	1.0
San Clemente HA	1.30		-											
Prima Deshecha HSA	1.31	1200	400	500	60	10	0.3	0.05	0.5	0.75	none	5	15	1.0
Segunda Deshecha HSA	1.32	1200	400	200	60	10	0.3	0.05	0.5	0.75	none	5	15	1.0
San Mateo Canyon HA a	1.40	200 p	250	250 b	60	45 b	0.3 b	0.05 b	0.5	0.75 b	none	5	15	1.0
San Onofre HA a	1.50	200 p	250	250 b	60	45 b	0.3 b	0.05 b	0.5	0.75 b	none	5	15	1.0
SANTA MARGARITA HYDROLOGIC UNIT	IIT 902.00													
Ysidora HA a	2.10	ა 09/	300 c	300 c	09	10 c	0.3 c	ი.05 ი	0.5	0.75 c	none	5	15	1.0
Deluz	2.20	009	250	250	09	10	0.3	0.05	0.5	0.75	none	5	15	1.0
U.A. Direlanta Anas														

HA - Hydrologic Area HSA - Hydrologic Sub Area (Lower case letters indicate endnotes following the table.)

Table 3-3
WATER QUALITY OBJECTIVES

Concentrations not to be exceeded more than 10% of the time during any one year period.

)	Constituent	(mg/L	or as noted)	ted)				
Ground Water	Hydrologic Basin Unit	TDS	IJ	SO ₄	%Na	NO3	Fe	Mn	MBAS	m	ODOR	Turb	Color Units	止
Deluz Creek HSA m	2.21	750	250	250	09	10	0.3	0.05	0.5	0.75	none	2	15	1.0
Gavilan HSA m	2.22	750	250	250	90	10	0.3	0.05	0.5	0.75	none	വ	15	1.0
Murrieta	2.30	750 c	300 c	300 c	09	10 c	0.3 c	0.05 c	0.5	0.75 c	none	5	15	1.0
Domenigoni HSA	2.35	2000	,		t	,	-	•	1				-	
Auld	2.40	500	250	250	09	10	0.3	0.05	0.5	0.75	none	2	15	1.0
Pechanga HA	2.50	500	250	250	09	5	0.3	0.05	0.5	0.75	none	5	15	1.0
Pauba HSA o	2.51	750	250	250	09	5	0.3	0.05	0.5	0.75	none	5	15	1.0
Wolf HSA p	2.52	750	250	250	09	10	0.3	0.05	0.5	0.75	none	ខ	15	1.0
Wilson	2.60	500	250	250	09	10	0.3	0.05	0.5	0.75	none	2	15	1.0
Cave Rocks HA	2.70	200	250	250	09	5	0.3	0.05	0.5	0.75	none	2	15	1.0
Aguanga	2.80	500	250	250	90	10	0.3	0.05	0.5	0.75	none	5	15	1.0
Oakgrove HA	2.90	200	250	250	90	10	0.3	0.05	0.5	0.75	none	5	15	1.0
SAN LUIS REY HYDROLOGIC UNIT	903.00													
Lower San Luis HA	3.10	800 r	300	400	09	10	0.3	0.05	0.5	0.75	none	5	15	1.0
Mission HSA a	3.11	1500 cd	200 cd	200 cd	09	45 cd	po 58.0	0.15 cd	0.5 d	0.75 cd	none	ß	15 d	1.0 d
Bonsall	3.12	1500 cd	500 cd	500 cd	60	45 cd	0.85 cd	0.15 cd	p 9 0	0.75 cd	none	2	15 d	1.0 d
Monserate HA	3.20													
Pala HSA	3.21	o 006	300 c	200 c	60	15 c	0.3 c	0.05 с	0.5	0.75	none	2	15	0.
Pauma HSA	3.22	s 008	300 c	400 c	09	10 c	ი.3 с	0.05 c	0.5	0.75	none	2	15	0.1
La Jolla Amago HSA	3.23	500	250	250	9	5	0.3	0.05	0.5	0.75	none	2	15	0.
Warner Valley HA	3.30	500	250	250	60	5	0.3	0.05	0.5	0.75	none	2	15	0.1
CARLSBAD HYDROLOGIC UNIT	904.00											ŀ		
Loma Alta HA	4.10	1	1	-	,	•		1	•	•	1	-	•	-
11.4 Lt. des (2 m) = A mon														

HA - Hydrologic Area HSA - Hydrologic Sub Area (Lower case letters indicate endnotes following the table.) Table 3-3 WATER QUALITY OBJECTIVES

Concentrations not to be exceeded more than 10% of the time during any one year period.

									400	100				Γ
-							Constituent (mg/L		or as moted	(na		ľ	ŀ	Ī
Ground Water	Hydrologic Basin Unit	TDS	ប	S04	%Na	NO3	Б	Ğ C	MBAS	മ	ODOR	Turb	Color	Щ
	Number												2	
Buena Vista Creek HA	4.20						-							
El Salto HSA a	4.21	3500	800	200	09	45	0.3	0.05	0.5	2.0	none	2	15 1	0.
Vista HSA a	4.22	1000 b	400 b	200 p	09	10 b	0.3 b	0.05 b	0.5	0.75 b	none	വ	15	1.0
Agua Hedionda HA a	4.30	1200	500	200	09	10	0.3	0.05	0.5	0.75	none	2	15	1.0
Los Monos HSA aj	4.31	3500	800	500	09	45	0.3	0.05	0.5	2.0	none	ည	15	0.1
Encinas HA a	4.40	3500 b	q 008	200 p	09	45 b	q E'0	o.05 b	9.0	2.0 b	none	2	15	0.1
San Marcos HA ae	4.50	1000	400	500	09	10	0.3	0.05	9.0	0.75	none	2	15	0.1
Batiquitos HSA aek	4.51	3500	800	500	09	45	0.3	0.05	0.5	2.0	none	5	15 1	1.0
Escondido Creek HA a	4.60	750	300	300	09	10	0.3	0.05	0.5	0.75	none	្ច	15	1.0
San Elijo HSA a	4.61	2800	700	009	09	45	0.3	0.05	0.5	1.0	none	D.	15	1.0
Escondido HSA	4.62	1000	300	400	09	10	0.3	0.05	0.5	0.75	none	ည	15	1.0
SAN DIEGUITO HYDROLOGIC UNIT	905.00													
Solana Beach HA a	5.10	1500 b	200 p	200 p	09	45 b	o.85 b	0.15 b	0.5	0.75 b	none	2	15	0.1
Hodges HA	5.20	1000 b	400 b	200 p	09	10 b	o.3 b	0.05 b	0.5	0.75 b	none	5	15	1.0
San Pasqual HA	5.30	1000 b	400 b	200 p	09	10 b	o.3 b	0.05 b	0.5	0.75 b	none	ည	15	1.0
Santa Maria Valley HA	5.40	1000	400	500	09	10	0.3	0.05	0.5	0.75	none	2	15	1.0
Santa Ysabel HA	5.50	200	250	250	09	5	0.3	0.05	0.5	0.75	none	2	15	1.0
PENASQUITOS HYDROLOGIC UNIT	906.00													
Miramar Reservoir HA af	6.10	1200	200	200	09	10	0.3	0,05	0.5	0.75	none	2	15	0.1
Poway	6.20	750 q	300	300	09	10	0.3	0.05	0.5	0.75	none	ည	15	0.1
Scripps HA	6.30		ı	1	P	•	,	1	1	1	,	-	•	٠
Miramar HA 9	6.40	750	300	300	09	9	0.3	0.05	0.5	0.75	none	2	15	0.
Tecolote HA	6.50	•	,	ı	'	1	-	1	-	1	-	,	,	-

HA - Hydrologic Area HSA - Hydrologic Sub Area (Lower case letters indicate endnotes following the table.)

Concentrations not to be exceeded more than 10% of the time during any one year period.

	a ka 74ka						Constitue	Constituent (mg/L	or as noted)	ted)				
Ground Water	Hydrologic Basin Unit Number	TDS	ਹ	S04	%Na	NO3	Fe	M	MBAS	ω	ODOR	Turb	Color Units	ட
SAN DIEGO HYDROLOGIC UNIT	907.00													
Lower San Diego HA	7.10													
Mission San Diego HSA a	7.11	3000 p	q 008	q 009	09	45 b	0.3 b	0.05 b	0.5	2.0 b	none	ro 2	15	0.1
Santee HSA	7.12	1000 b	400 b	200 p	09	45 b	0.3 b	0.05 b	0.5	0.75 b	none	2	15	0.
Santee (alluvial aquifer n													T	
for lower Sycamore HSA	7.12	2000 b	800 b	600 b	09	45 b	0.3 b	0.05 b	0.5	2.0 b	none	ro	15	0.1
Canyon)														
El Cajon HSA	7.13	1200 b	250 b	200 p	8	45 b	0.3 b	0.05 b	0.5	0.75 b	none	വ	15	0.
Coches HSA	7,14	q 009	250 b	250 b	09	2 p	0.3 b	0.05 b	0.5	0.75 b	none	D.	15	0.
El Monte HSA	7.15	q 009	250 b	250 b	8	2 p	0.3 b	0.05 b	0.5	0.75 b	none	2	15	0.1
San Vicente HA	7.20	009	250	250	09	ည	0.3	0.05	0.5	0.75	none	rs 2	15	1.0
El Capitan HA	7.30	1000	400	500	09	45	0.3	0.05	0.5	0.75	none	ις.	15	0.
Conejos Creek HSA	7.31	350	09	09	09	2	0.3	0.05	0.5	0.75	none	വ	15	0.
Boulder Creek HA	7.40	350	09	09	09	2	0.3	0.05	0.5	0.75	none	ည	15	1.0
PUEBLO SAN DIEGO HYDROLOGIC UNIT	908.00													
Point Loma HA i	8.10	f	,		·	<u>'</u>		1	,	1		r	-	
San Diego Mesa HA i	8.20	-		1	,			z	•	í	,	<u> </u>		
National City HA i	8.30	750	250	250	9	5	0.3	0.05	0.5	0.75	none	D.	15	1.0
SWEETWATER HYDROLOGIC UNIT	909.00													
Lower Sweetwater HA	9.10													
Telegraph HSA	9.11	q 000E	150 b	q 009	09	45 b	0.3 b	o.05 b	0.5	2.0 b	none	2	15	o.
La Nacion HSA	9.12	1 500 b	200 p	200 p	09	42 p	0.3 b	0.15 b	0.5	0.75 b	none	2	15	1.0
Middle Sweetwater HA	9.20	1000	400	200	09	10	0.3	0.05	0.5	0.75	none	2	15	1.0
Upper Sweetwater HA	9.30	200	250	250	09	10	0.3	0.05	0.5	0.75	none	വ	15	1.0
HA - Hydrologic Area														

HSA - Hydrologic Sub Area (Lower case letters indicate endnotes following the table.)
Table 3-3
WATER QUALITY OBJECTIVES

Page 3-30

September 8, 1994

Concentrations not to be exceeded more than 10% of the time during any one year period.

														İ
)	Constitue	Constituent (mg/L or as noted)	or as no	ted)				
Ground Water	Hydrologic Basin Unit Number	TDS	Ö	SO4	%Na	NO3	Fe	Mn	MBAS	В	оров	Turb Color NTU Units	Color Jnits	ш
OTAY HYDROLOGIC UNIT	910.00													
Coronado HA	10.10	•		-	-		ı	-	-	-	-	'	'	ı
Otay Valley HA	10.20	1500 b	200 p	q 009	09	10 b	o.3 b	q 90'0	9.0	0.75 b	əuou	2	15	1.0
Otay Valley HA I	10.20	ı	1	•	-	1	-	ı	,	•	auou	-	-	ı
Dulzura HA	10.30	1000	400	200	09	10	0.3	0.05	9.0	0.75	euou	D.	15	1.0
TIJUANA HYDROLOGIC UNIT	911.00													
Tijuana Valley HA h	11.10	2500 b	9 099	q 006	0/		2	•	-	2.0 b	auou	,	1	i
Potrero HA	11.20	500	250	250	09	45	0.3	90.0	0.5	1.0	euou	2	15	1.0
Barrett Lake HA	11.30	200	250	250	09	45	0.3	90.0	9.0	1.0	auou	2	15	1.0
Monument HA	11.40	500	250	250	09	45	0.3	0.05	0.5	1.0	auou	2	15	0.1
Morena HA	11.50	200	250	250	09	45	0.3	0.05	9.0	1.0	none	2	15	1.0
Cottonwood	11.60	200	250	250	09	45	0.3	0.05	9.0	1.0	auou	2	15	.0
Cameron HA	11.70	500	250	250	09	45	0.3	0.05	0.5	1.0	euou	2	15	1.0
Campo HA	11.80	500	250	250	09	45	0.3	0.05	0.5	1.0	none	5	15	1.0

HA - Hydrologic Area HSA - Hydrologic Sub Area (Lower case letters indicate endnotes following the table.)

ENDNOTES FOR TABLE 3-3

- The water quality objectives do not apply westerly of the easterly boundary of Interstate Highway 5. The objectives for the remainder of the Hydrologic Area (Subarea) are as shown. σ
- Detailed salt balance studies are recommended for this area to determine limiting mineral concentration levels for discharge. On the basis on existing data, the tabulated objectives would probably be maintained in most areas. Upon completion of the salt balance studies, significant water quality objective revisions may be necessary. In the interim period of time, projects of ground water recharge with water quality inferior to the tabulated numerical values may be permitted following individual review and approval by the Regional Soard if such projects do not degrade existing ground water quality to the aquifers affected by the recharge.

ڡ

ပ

σ

- Point sources, however, would be controlled to achieve effluent quality corresponding to the tabulated numerical values. In future years The recommended plan would allow for measurable degradation of ground water in this basin to permit continued agricultural land use. demineralization may be used to treat ground water to the desired quality prior to use.
- A portion of the Upper Mission Basin is being considered as an underground potable water storage reservoir for treated imported water. The area is located north of Highway 76 an the boundary of hydrologic subareas 3.11 and 3.12. If this program is adopted, local objectives approaching the quality of the imported water would be set and rigorously pursued.
- The water quality objectives do not apply to hydrologic subareas 4.51 and 4.52 between Highway 78 and El Camino Real and to all lands which drain to Moonlight Creek and Encinitas Creek. The objectives for the remainder of the Hydrologic Area are as shown. Φ
- The water quality objectives do not apply to all lands which drain to Los Penasquitos Canyon from 1.5 miles west of Interstate Highway The objectives for the remainder of the Hydrologic Area are as shown.
- The water quality objectives do not apply west of Interstate Highway 15. The objectives for the remainder of the Hydrologic Area are Ö
- The water quality objectives do not apply west of Hollister Street. The objectives for the remainder of the Hydrologic Area are as ے
- i No significant amount of ground water in this unit.

TABLE 3 - 3 WATER QUALITY OBJECTIVES

ENDNOTES FOR TABLE 3-3 (continued)

- The water quality objectives apply to the portion of Subarea 4.31 bounded on the west by the easterly boundary of the Interstate 5 right-ofway and on the east by the easterly boundary of El Camino Real.
- The water quality objectives apply to the portion of Subarea 4.51 bounded on the south by the north shore of Batiquitos Lagoon, on the west by the easterly boundary of the Interstate 5 right-of-way and on the east by the easterly boundary of El Camino Real.
- The water quality objectives apply to the portion of the Otay HA 10.20 limited to lands within and tributary to Salt Creek on the east and Poggi Canyon on the west and including the several smaller drainage courses between these tributaries of the Otay River.
- These objectives apply to the alluvial ground water beneath the Santa Margarita River from the confluence of Murrieta and Temecula Creeks through the Gavilan and DeLuz HSAs to a depth of 100 feet and a lateral distance equal to the area of the floodplain covered by a 10 year flood event. These objectives do not apply to ground water in any of the basins beneath DeLuz, Sandia, and Rainbow Creeks and other unnamed creeks, which are tributaries of the Santa Margarita River.

Ε

_

0

Q

O

- These objectives apply for only the alluvial aquifer in the Lower Sycamore Canyon portion of the Santee Hydrologic Subarea described as all of the Sycamore Canyon watershed except that part which drains north of the boundary between sections 28 and 33, Township 14 South, Range 1 West.
- which drain directly to the most downstream 2.7 mile segment of Temecula Creek. Excluded from this area are all lands upgradient from a These objectives apply to ground waters within 250 feet of the surface for the most downstream 4,200 acres of the Pauba HSA (2.51) point 0.5 miles east of the intersection of Butterfield Stage Road and Highway 79.
- ncluding those portions of the HSA which drain directly to the most downstream 1.5 mile segment of Pechanga Creek. Excluded from this These objectives apply to ground waters within 250 feet of the surface for the most downstream 2,800 acres of the Wolf HSA (2.52) area are all lands of HSA 2.52 which are upgradient of the intersection of Pala Road and Via Eduardo.
- These objectives apply to ground waters of the Poway HSA (6.2) that lie east of the San Diego County Water Authority's (SDCWA) First Aqueduct. Ground water quality objectives west of the SDCWA First Aqueduct are 1000 mg/l.
- These objectives apply to the Lower San Luis Rey Hydrologic Area (903.10). The objective for the alluvial aquifer in the Moosa Hydrologic Subarea (903.13) is 1200 mg/l. The objective for the alluvial aquifer in the Valley Center Hydrologic Subarea (903.14) is 1100 mg/l.

